

CERTIFICATE OF COMPLIANCE

Certificate Number 20190205-E125326
Report Reference E125326-20120821
Issue Date 2019-FEBRUARY-05

Issued to: Topworx Inc
3300 Fern Valley Rd
Louisville KY 40213-3528

**This certificate confirms that
representative samples of**

TELEMETERING EQUIPMENT FOR USE IN
HAZARDOUS LOCATIONS
See Addendum

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 913, Intrinsically Safe Apparatus and Associated
Apparatus for Use in Class I, II, and III, Division 1,
Hazardous (Classified) Locations
CAN/CSA C22.2 No. 157-92, Intrinsically Safe and Non-
incendive Equipment for Use in Hazardous Locations
(reaffirmed 2012)

Additional Information:

See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20190205-E125326
Report Reference E125326-20120821
Issue Date 2019-FEBRUARY-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

USL, CNL - Class I, Groups A, B, C and D; Class II, Groups E, F and G Hazardous Locations. Valvetop Monitors/Controllers, Model TV followed by F, L, or H, followed by D, K, M, P, Q, R, T, E, N, 4, 5, or 0, followed by 2, 4, S or X, followed by 0, followed by up to thirteen alphanumeric characters. Intrinsically safe when installed in accordance with control drawing ES-03039-1, ES-03040-1, ES-03041-1, ES-03042-1, ES-03043-1, ES-03091-1, ES-03837-1, ES-03838-1, ES-03839-1, ES-05745-1, ES-03846-1, ES-06330-1, ES-06951-1, or ES-06952-1.

USL, CNL - Class I, Division 2, Groups A, B, C and D; Class II, Division 2, Groups F and G Hazardous Locations. Valvetop Monitors/Controllers, Model TV followed by F, L, or H, followed by P, R, E, N, 4, or 5, followed by 2 or 4, followed by 2, followed by up to thirteen alphanumeric characters. Suitable for use in Division 2 locations when installed in accordance with control drawing ES-03039-1, ES-03040-1, ES-03041-1, ES-03042-1, ES-03043-1, or ES-03091-1.

Valvetop Monitors/Controllers, Model TV followed by F, L, or H, followed by A, followed by M, S, or K, followed by 2, followed by up to thirteen alphanumeric characters.

Valvetop Monitors/Controllers, Model TV followed by F, L, or H, followed by P, followed by M, B, or K, followed by 2, followed by up to thirteen alphanumeric characters

Valvetop Monitors/Controllers, Model TV followed by F, L, or H, followed by D, followed by M, N, or K, followed by 2, followed by up to thirteen alphanumeric characters

ValveTop Monitors/Controllers, Model TV F/L/H; followed by D, R, P, or Q + one alphanumeric character; followed by 2; followed by one alphanumeric character; followed by one alphanumeric character; followed by P, M, E or 1; followed by M; followed by Blank, 0, 1 or 2; followed by Blank, 0, A or 6; followed by Blank, 0, 1 or 8; followed by Blank, 0, 1 or 2; followed by 1 to 5 alphanumeric characters. Suitable for use in Division 2 locations when installed in accordance with control drawing ES-03039-1, ES-03040-1, ES-03041-1, ES-03042-1, ES-03043-1, or ES-03091-1.

ValveTop Monitors/Controllers, Model TV followed by F, L, or H; followed by Q2, Q4, G2, G4, D2, D4, S2, or S4; followed by 2; followed by one alphanumeric character; followed by one alphanumeric character; followed by P, M, E or 1; followed by M; followed by Blank, 1 or 2; followed by Blank, A, S, or 6; followed by Blank, 0, 1 or 8; followed by 1 or 2; followed by 1 to 5 alphanumeric characters.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

