

Applying the Digital Twin to Methanol to Propylene MTO/MTP Units

Chemical

Dynamic simulation with Mimic Simulation Software provides a high-performance solution for operator training and control system optimization. This Digital Twin technology delivers the complete environment for control system optimization and is an effective tool for teaching process and control engineers the control and operation of methanol to propylene production plants.

Methanol to Propylene Modeling

Solutions for MTO/MTP units include dynamic models of the following process areas:

- Dimethyl Ether (DME) Reactor
- DME Separator
- Furnace
- Six Fixed Bed Propylene Reactor with Secondary DME Feed/ Cooling Steams and Sprayed Water Cooling
- Product Heat Exchangers

Application Capabilities

- Dynamic real time mass and energy balances
- Dynamic Vapor Liquid Equilibrium Balance accounting for reaction mixture interaction with external streams, chemical transformations due to the reaction kinetics
- Configurable thermodynamic activities and enthalpy correction factors to account for mixture non-idealities
- Reaction modeling using the Arrhenius equation for reaction rate constants
- Tunable reaction rate constants, activation energies, pre-exponential factors, and reaction orders for both, forward and reverse reactions

Mimic Simulation Software



Train operators on infrequent and dangerous process occurrences



Test control system enhancements



Transfer knowledge from seasoned to inexperienced operators



Increase overall plant safety

Instructor Station

Instructor controls in Mimic and instructor screens in Mimic Component Studio allow your training team to prepare for working with the control system and process. Any element in Mimic can be manipulated or controlled, and instructor screens provide

easy access in one location. Typical controls allow instructors to manipulate operating conditions, such as boundary conditions and compositions, introduce ad-hoc device failures, control scripted training scenarios, and restore snapshots to steady-state operations.

Plant Feed Conditions

Manipulate costs, prices, compositions, and other boundary conditions.

Ad-Hoc Process

Switches for individual unit failures.

Process Snapshots

Control and restore full steady-state, cold, or other methanol plant conditions.

Scripted Scenarios

Pre-engineered scenarios with dynamic representation of student scores.

Emerson
North America, Latin America:

+1 800 833 8314 or
+1 512 832 3774

Asia Pacific:
+65 6777 8211

Europe, Middle East:
+41 41 768 6111

www.emerson.com/mimic

©2019, Emerson. All rights reserved.

The Emerson logo is a trademark and service mark of Emerson Electric Co. All other marks are the property of their respective owners.

The contents of this publication are presented for informational purposes only, and while diligent efforts were made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice.

